









Pregnancies in women after peri-partum cardiomyopathy: the global European Society of Cardiology EuroObservational Research Programme Peri-Partum Cardiomyopathy Registry

Karen Sliwa ^{1,*†}, Alice Jackson^{2,†}, Charle Viljoen¹, Albertino Damasceno ³, Irina Mbanze³, Hassan Al Farhan^{4,5}, Israa Fadhil Yaseen^{4,5}, Amam Mbakwem⁶, Triwedy Indra Dewi⁷, Zofia Dzielinska⁸, Timur Abdullaev⁹, Sorel Goland ¹⁰, Denise Hilfiker-Kleiner¹¹, Julia Hahnle¹, Carmen Basic ¹², Alexandra Frogoudaki¹³, Petar Seferovic¹⁴, Peter van der Meer¹⁵, Mark C. Petrie ², and Johann Bauersachs¹⁶; on behalf of the EuroObservational Research Programme in conjunction with the Heart Failure Association of the European Society of Cardiology Committee on Peripartum Cardiomyopathies

¹Cape Heart Institute, Department of Cardiology and Medicine, Faculty of Health Sciences, University of Cape Town, 4th floor Chris Barnard Building, Observatory, Cape Town 7925, South Africa; ²School of Cardiovascular and Metabolic Health, University of Glasgow, Glasgow, UK; ³Faculty of Medicine, Eduardo Mondlane University, Maputo, Mozambique; ⁴Iraqi Board for Medical Specializations, Scientific Council of Cardiology, College of Medicine, University of Baghdad, Baghdad Heart Center, Baghdad, Iraq; ⁵Baghdad Teaching Hospital, Department of Medicine and Cardiology, Medical City, Baghdad, Iraq; ⁶Department of Cardiology, College of Medicine and Lagos University Teaching Hospital, Lagos, Nigeria; ⁷Department of Cardiology and Vascular Medicine, Faculty of Medicine, Bandung Hasan Sadikin General Hospital, Bandung, Indonesia; ⁸Cardinal Wyszyński National Institute of Cardiology, Medical University of Warsaw, Warsaw, Poland; ⁹Specialized Scientific Medical Centre, Department of Medicine and Cardiology, Tashkent, Uzbekistan; ¹⁰Heart Institute, Department of Cardiology, Kaplan Medical Centre, Rehovot, Hebrew University, Jerusalem, Israel; ¹¹Faculty of Medicine, Philipps University Marburg, Marburg, Germany; ¹²Institute of Medicine, Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden; ¹³Atticon University Hospital, Department of Cardiology, Chaidari, Greece; ¹⁴Department of Cardiology, University of Belgrade Faculty of Medicine, Belgrade, Serbia; ¹⁵University Medical Centre Groningen, Department of Cardiology, Groningen, Netherlands; and ¹⁶Department of Cardiology and Angiology, Hannover Medical School, Hannover, Germany


Bromocriptine treatment and outcomes in peripartum cardiomyopathy: the EORP PPCM registry

Peter van der Meer ^{1,*}, Bart Johan van Essen¹, Charle Viljoen^{2,3}, Michael Böhm⁴, Alice Jackson⁵, Denise Hilfiker-Kleiner⁶, Julian Hoevelmann ^{2,4}, Alexandre Mebazaa^{7,8}, Hasan Ali Farhan ⁹, Sorel Goland ^{10,11}, Wouter Ouwerkerk¹², Mark C. Petrie ⁵, Petar M. Seferović^{13,14}, Jasper Tromp ^{15,16,17}, Karen Sliwa ^{18,†}, and Johann Bauersachs ^{19,†}

¹Department of Cardiology, University of Groningen, University Medical Centre Groningen, Groningen, The Netherlands; ²Cape Heart Institute, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa; ³Division of Cardiology, Department of Medicine, Groote Schuur Hospital, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa; ⁴Department of Internal Medicine III-Cardiology, Angiology, and Internist Intensive Medicine, Saarland University Hospital, Homburg, Saar, Germany; ⁵British Heart Foundation Cardiovascular Research Centre, University of Glasgow, Glasgow, UK; ⁶Philipps-Universität Marburg, Medical Faculty, Marburg, Germany; ⁷Paris Cité University, French National Institute of Health and Medical Research (INSERM) Cardiovascular Markers in Stress Conditions (MASCOT), Paris, France; ⁸Department of Anesthesiology and Critical Care, Saint Louis Lariboisière Hospitals, Public Assistance Hospital of Paris, Paris, France; ⁹Iraqi Board for Medical Specializations, University of Baghdad, College of Medicine, Baghdad, Iraq; ¹⁰Kaplan Medical Center, The Heart Institute, Rehovot, Israel; ¹¹Israel Hadassah Medical School, Hebrew University, Jerusalem, Israel; ¹²Amsterdam UMC, University of Amsterdam, Amsterdam Infection and Immunity Institute, Amsterdam, The Netherlands; ¹³Faculty of Medicine, University Medical Center, Belgrade, Serbia; ¹⁴Serbian Academy of Sciences and Arts, Medical Faculty University of Belgrade, Belgrade, Serbia; ¹⁵Saw Swee Hock School of Public Health & The National University Health System, Singapore, Singapore; ¹⁶Duke-NUS Medical School, Singapore, Singapore; ¹⁷National Heart Centre Singapore, Singapore, Singapore; ¹⁸Cape Heart Institute, Faculty of Health Sciences, Department of Medicine and Cardiology, University of Cape Town, Cape Town, South Africa; and ¹⁹Department of Cardiology and Angiology, Hannover Medical School, Hannover, Germany

Received 15 July 2024; revised 7 August 2024; accepted 15 August 2024

Graphical abstract



Participating sites:

Australia: *Elizabeth Vale:*

M. Arstall, G. Mahadavan, E. Aldridge, G. Dekker, Y.Y. Chow, M. Wittwer,

Germany: *Hannover:*

T.J. Pfeffer, D. Berliner, T. Koenig, V.A. Moulig, D. Hilfiker-Kleiner, J. Bauersachs

Indonesia: *Bandung:*

H. Sasmaya Prameswari, T.I. Dewi,

Iraq: *Bagdad:*

H. Ali Farhan, I.F. Yaseen,

Israel: *Rehovot:*

S. Goland, M. Biener,

Mozambique: *Maputo:*

A. Damasceno, M. Machava, A. Magaia, A. Mateus, C. Novela, J. Chemane, V. Govo,

Nigeria: *Lagos:*

A. Mbakwem, C. Amadi, B. Afolabi, M. Kehinde, M. Kilasho,

Poland: *Warsaw:*

M. Demkow, Z. Dzielinska, J. Henzel, K. Kryczka,

South Africa: *Cape Town:*

K. Sliwa, C. Viljoen, J. Hovelmann, F. Jakoet-Bassier, A Osman,

Sweden: *Goteborg:*

M. Schaufelberger, C. Basic, V. Goloskokova,

Uzbekistan: *Tashkent:*

T. Abdullaev, I. Tsoy, S. Mirzarakhimova.



CAPE HEART INSTITUTE
Global Medicine